ABSOCIATION CONNECTING ELECTRONICS INDUSTRIES® INCLUSTRIES	PC, Bannock	burn, Illinois. A	Il rights reserved u ntions.	nder both	This docume level parts, t	ent is a declar he declaration	ration of n encom	f the substance passes all low	es within t ver level n	he manufact naterials for	turer listed it which the m	em. Note anufactu	e: if the item is an as rer has engineering	ssembly with low responsibility.		
	IPC Web Site for Information on IPC-1752 Standard Form Typ http://www.ipc.org/IPC-175x Distribute				e *	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					erials and M	als and Mfg Information				
Supplier Information																
Company name*	Company unique ID			Unique ID Authority					Respons	Response Date*						
nsemi											2023-06-08					
Contact Name Title - Co			tle - Contact			Phone - Contact*					Email -	Email - Contact*				
Product-Env-Stewards Pr			Product Enviro Compliance			NA					Produc	Product-Env-Stewards@onsemi.com				
Authorized Representative* Ti			Title - Representative			Phone - Representative*				Email -	Email - Representative*					
Product-Env-Stewards		Product Enviro Compliance				NA				Produc	Product-Env-Stewards@onsemi.com					
Requester Item Number	Item Number Mfr Iter		em Number Mfr Item Name			Effective Da	ate Ve	Version Manufacturing S		turing Site	ľ	Veight*	UOM	Unit Type		
	FSA305	FSA3051TMX SPD		SPDT Analog Switch		2023-06-08			TH2		1	.12434	mg	Each		
Aanufacturing Proccess Informa	tion												I			
Terminal Plating / Grid Array M	aterial	Terminal Base	Alloy	J-STD-020 MSL I		Peak Process Body Temper		ody Temperat	ture Max Time at Peak Tem		ak Temperat	ire Nui	mber of Reflow Cyc	cles		
Precious metal (e.g. Ag,Au, NiPdAu) (no Sn)		CU Alloy 1		1		260		С	30		secon	is 3				
Comments																
evel 1 - maximum time at peak temperat	ure during so	ldering is 10-3	0 seconds													
or more information regarding material	composition	please refer to	page 3													

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Diisobutyl phthalate (DIBP).											
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe y others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	ances per the definitio	on above	Supplier Acceptance	* Accepted							
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Homogeneous Material Weight		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	0.03	mg	Supplier	Silicon (Si)	7440-21-3		0.03	mg
Die Attach	0.0139	mg	Supplier	Phenolic Resin-2	54208-63-8		0.002	mg
			Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.0029	mg
			Supplier	2,4,6-Tris[Bis(Methoxymethyl)Amino]- 1,3,5-Triazine	3089-11-0		0.002	mg
			Supplier	Silica Crystalline (SiO2)	14808-60-7		0.007	mg
Lead Frame	0.1753	mg	Supplier	Manganese (Mn)	7439-96-5		0.0003	mg
			Supplier	Silicon (Si)	7440-21-3		0.001	mg
			Supplier	Copper (Cu)	7440-50-8		0.174	mg
Mold Compound-Black	0.881	mg	Supplier	Ortho Cresol Novolac Resin	29690-82-2		0.052	mg
			Supplier	Carbon Black (C)	1333-86-4		0.002	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		0.776	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.051	mg
Plating	0.00814	mg	Supplier	Palladium (Pd)	7440-05-3		0.0001	mg
			В	Nickel (Ni)	7440-02-0		0.008	mg
			Supplier	Gold (Au)	7440-57-5		0.0001	mg
Wire Bond - Au	0.016	mg	Supplier	Gold (Au)	7440-57-5		0.016	mg