

| |
|---|
| Document Receipt Acknowledgement |
| Date: |
| Section: |
| Name: |



E2Z0-L1C-A2127
Date: Jul. 10, 2018

Attention:

DIGI-KEY/THIEF RIVER FALLS/MN/HQ

4M Change Notice of packaging method to secure traceability

PTC/NTC thermistor lead-wire type: PT/NT/NX series (Bulk Type)

Dear. Valued Customer

Thank you very much for your great and continued support for business with Murata.
This is the official notification that some of our products' 4M Change will be proceeded as detailed below.
Please review this, and confirm that you will expect to receive products after this 4M Change.
Your understanding and support are highly appreciated.

1. Product Type, Changes, and Customer/Murata/Alternative Part Numbers:

Product Type: PTC/NTC thermistor lead-wire type : PT/NT/NX series (Bulk Type)
(Except taping type)

Changes: Man Machine Material Method

| Before Change | After Change |
|---|---|
| When a fraction occurred, we performed Lot mixture to reach the maximum packaging quantity. | We do not mix the fraction to secure of traceability. They are packed in each bag. Please refer to the reference sheet. |

Please refer to the attached documents for detailed Part Numbers' information.

2. Reasons/Background:

When a fraction occurred, we performed Lot mixture to reach the packaging quantity.
We do not mix the fraction to secure of traceability.
They will be packed in each bag.

3. Products Before and After the Change:

Only the packaging quantity will be changed.
There are no changes of the products' design, quality, guaranteed specifications, and others, as Murata continuously uses the same production process and quality control system.

4. Change Schedule:

Start date of this change: **From shipment on Sep.. 01, 2018**

5. Contact Window:





Should you have any questions or concerns,
please contact Murata Sales, Representative, or Distributor in your area.

Truly Yours. Thank you.

Murata Manufacturing, Co., Ltd.
Plannig and Promotion Department. Sensor Products Division.

General Manager, Yoshitaka Nagao

[PTC/NTC Thermistor lead-wire type/Comparison of change]

| Item | Before change | After change |
|-----------------------------|---|--|
| <p>Inner Package</p> | <p>Finished products which are inner packaging bags are stored at warehouse. This packaging process is done in the production process. When a fraction occurred, we perform Lot mixing to reach the maximum packaging quantity. (Manual work) In this case mixing number is 3 lots or less.</p>  | <p>Finished products which are inner packaging bags are stored at warehouse. This packaging process is done in the production process. When a fraction occurred, we don't perform Lot mixing to reach the maximum packaging quantity. These will be ship in the state of a fractional bag without mixing ...</p>  |
| <p>Outer Package</p> | <p>Insert the product after inspection into the outer box of the cardboard.</p> <p>Put the bag with the lot mixed.</p>  | <p>Insert the product after inspection into the exterior box of the cardboard.</p> <p>Put as a fraction of bags (max 3 bags)</p>  |